

Notice of Allowability

Application No.

10/671,936

Examiner

Tamai I.E. Karl

Applicant(s)

HANS, HELMUT

Art Unit

2834

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 1/10/2006.
2. ☒ The allowed claim(s) is/are 3,4,6-9 and 12.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

KARL TAMAI
PRIMARY EXAMINER

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Dan Salebi on March 15, 2006.

The application has been amended as follows:

Cancel claims 10 and 11.

Claim 12, line 3, replace "one or more lead frames" with --a lead frame--.

Claim 12, line 6, insert --wherein the lead frame is located at a front end of the electrical motor and --.

Claim 12, line 8, delete "substantially".

Claim 12, line 9, delete "substantially".

Claim 12, line 10, before "symmetrical", insert --rotationally--.

The following changes to the drawings have been approved by the examiner and agreed upon by applicant: FIGURE 2: in the power line extending from the top left corner, delete the portion between positive current bus bar 18' and the U phase lead frame 12'. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance: the prior art does not teach an electric motor having a connecting device with having a lead frame with lead frame tracks for connecting the power supply wires and the phase windings of the electric motor, where the tracks of the lead frame are adapted for direct electrical connection of the electronic components AND where the lead frame is located at a front end of the electrical motor AND where the lead frame tracks are of a rotationally symmetrical shape AND the electronic components on the lead frame tracks are arranged in a rotationally symmetrical manner, so that the length of the connection wires from the phase winding of the electric motor with the tracks of the lead frame is minimal.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karl I.E. Tamai whose telephone number is (571) 272 - 2036.

The examiner can be normally contacted on Monday through Friday from 8:00 am to 4:00 pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Darren Schuberg, can be reached at (571) 272 - 2044. The facsimile number for the Group is (571) 273 - 8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Karl I Tamai
PRIMARY PATENT EXAMINER
March 16, 2006

A handwritten signature in black ink, appearing to read 'Karl I Tamai', with a long, sweeping horizontal stroke extending to the right.

KARL TAMAI
PRIMARY EXAMINER